


**SHEENIAC**

**SPECIALITY COATINGS**



**PAVER COAT  
1K WB ACRYLIC**



**SHADES OF THE FLOOR**

## Paver Coat - 1K WB ACRYLIC

Sheenlac Paver coat-1K WB ACRYLIC is a one pack water based self-crosslinking acrylic coating for direct application over prepared concrete / cement floor and stone types. It can be used for interior & exterior applications. The product will deliver superior durability and aesthetic appearance.

### PRODUCT BENEFITS



**HIGH EXTERIOR  
DURABILITY**



**SELF  
PRIMING**



**FAST DRYING  
AND CURE**



**LOW DIRT  
PICK-UP**



**EASY TO  
CLEAN**



**EXCELLENT FLOW  
AND LEVELLING**

### APPLICATION DATA

Stir the paint thoroughly. Use potable water for thinning and don't over thin the paint more than the recommended levels.

Apply a self-priming coat of Sheenlac Paver coat -1K WB ACRYLIC, by diluting with 30-50% water. Allow it to dry for minimum 5-6 hours (25° C/ 50% RH)

Apply further coat of Sheenlac Paver coat -1K WB ACRYLIC at 10-20% dilution using standard brush, roller or spray.

One more optional coat may be applied depending on the hiding and colour requirements.

**Note:** This product is not intended to use for heavy motor vehicle traffic, water-logging, or immersion services and where acid/alkali spillages are likely. Care should be taken when moving heavy motor vehicle, portable cranes etc. over the coated surface.

#### Application precautions:

1. While application ensure that surface temperature and air temperature are not below 10 °C or above 45 °C
2. Should not over thin the paint above the recommended dilution levels
3. Stir the paint properly before use.
4. When exceeding over coating interval or exposed to sunlight for a long time, proper surface preparation should be necessary to ensure inter-coat adhesion

#### Storage and Transportation:

Do not store or transport the containers under direct sunlight or at elevated temperatures. Store the container in an upright position in order to avoid any leakage or damage.

*\*Please refer to data sheet before application.*






**Cardinal Red**



**P O Red**



**Off White**



**Black**



**Habanero**



**Brown Irises**



**Golden Yellow**



**Emerald**



**Blue Sapphire**



**Gun Metal**



**Dior Grey**



**Terracotta**

\* Shades shown are for indication purpose only.



## PAVER COAT 1K WB ACRYLIC

### AVAILABLE PACKS



**1 ltr**



**4 ltrs**



**10 ltrs**



**20 ltrs**

\*Paver Coat 2K Water Based Polyurethane (WB PU) will be available on demand



**SHEENLAC**

**SPECIALITY COATINGS**

Free sample. Not for sale.  
Marketed by Sheenlac Paints Ltd.,

**SHEENLAC PAINTS LTD.**

76 B, GKS Estates, Block B, Ambattur Industrial Estate, Chennai - 600 098, Tamil Nadu, INDIA.

+91 - 83000 30404 | [ccchennai@sheenlac.in](mailto:ccchennai@sheenlac.in)

[www.sheenlac.com](http://www.sheenlac.com)